

CS4102 Algorithms


Spring 2019

Warm up:

Show that no cycle crosses a cut exactly once

no cycle crosses a cut exactly once

- Consider some edge (u, v) in the **cycle** which crosses the **cut**
- If we remove (u, v) then there is still a path from u to v which must somewhere cross the cut



Today's Keywords

- Graphs
- Minimum Spanning Tree
- Prim's Algorithm
- Shortest path
- Dijkstra's Algorithm
- Breadth-first search

CLRS Readings

- Chapter 22
- Chapter 23

Homeworks

- HW7 Due **Tuesday April 16 @11pm**
 - Written (use latex)
 - Graphs


Graphs

Vertices/Nodes

Definition: $G = (V, E)$

Edges

$w(e)$ = weight of edge e




$V = \{A, B, C, D, E, F, G, H, I\}$

$E = \{(A, B), (A, C), (B, C), \dots\}$

Definition: Path

A sequence of nodes (v_1, v_2, \dots, v_k)
s.t. $\forall 1 \leq i \leq k - 1, (v_i, v_{i+1}) \in E$



Simple Path:


A path in which each node appears at most once

Cycle:

A path of > 2 nodes in which $v_1 = v_k$

Definition: Minimum Spanning Tree

A Tree $T = (V_T, E_T)$ which connects (“spans”) all the nodes in a graph $G = (V, E)$, that has minimal **cost**




$$Cost(T) = \sum_{e \in E_T} w(e)$$

How many edges does T have?
 $V - 1$

Definition: Cut

A Cut of graph $G = (V, E)$ is a partition of the nodes into two sets, S and $V - S$




Edge $(v_1, v_2) \in E$ crosses a cut if $v_1 \in S$ and $v_2 \in V - S$ (or opposite), e.g. (A, C)

A set of edges R Respects a cut if no edges cross the cut
e.g. $R = \{(A, B), (E, G), (F, G)\}$

Cut Property

Consider any cut $(S, V - S)$ in a graph $G = (V, E)$, the **minimum weight edge crossing that cut** is in *some* MST of G



Warm up 2gether: Cycle Theorem


Consider any cycle in a graph $G = (V, E)$, the maximum weight edge on that cycle is *not* in some MST of G

What is our strategy?

Assume we have a **MST** Already:

2 cases:

1. tree has max weight edge
2. does not have max weight edge




Cycle Theorem: Case 1

Consider any cycle $v_1, v_2, \dots, v_k, v_1$ in a graph $G = (V, E)$, the maximum weight edge e on that cycle is *not* in *some* MST of G

Consider some MST T ,
Case 1: (the easy case)

If $e \notin T$ Then claim holds



Cycle Theorem: Case 2

Consider any cycle $c = (v_1, v_2, \dots, v_k, v_1)$ in a graph $G = (V, E)$, the maximum weight edge e on that cycle is *not* in *some* MST of G


Consider some MST T ,
Case 2:

Consider if $e = (v_1, v_2) \in T$

Let $(S, V - S)$ be a cut which
 e crosses

There is some other edge e'
not in T which crosses
 $(S, V - S)$

Build tree T' by exchanging
 e' for e



Cycle Theorem: Case 2

Consider any cycle $c = (v_1, v_2, \dots, v_k, v_1)$ in a graph $G = (V, E)$, the maximum weight edge e on that cycle is *not* in *some* MST of G

Consider some MST T ,
Case 2:

if $e = (v_1, v_2) \in T$

$T' = T$ with edge e' instead of e


We assumed $w(e) \geq w(e')$

$w(T') = w(T) - w(e) + w(e')$

$w(T') \leq w(T)$

So T' is also a MST!

Thus the claim holds




Prim's Algorithm

Start with an empty tree A

Pick a **start node**

Repeat $V - 1$ times:

 Add the min-weight edge which connects to node
 in A with a node not in A




Prim's Algorithm

Start with an empty tree A

Pick a **start node**

Repeat $V - 1$ times:

Add the min-weight edge which connects to node
in A with a node not in A




Prim's Algorithm

Start with an empty tree A

Pick a **start node**

Repeat $V - 1$ times:

Add the min-weight edge which connects to node in A with a node not in A




Prim's Algorithm

Start with an empty tree A

Pick a **start node**

Repeat $V - 1$ times:

 Add the min-weight edge which connects to node
 in A with a node not in A



Prim's Algorithm


Start with an empty tree A

Pick a **start node**

Repeat $V - 1$ times:

Add the min-weight edge which connects to node
in A with a node not in A

Keep edges in a Heap
 $O(E \log V)$



Prim's Algorithm

Initialize $d_v = \infty$ for each node v

Keep a priority queue PQ of nodes, using d_v as key


Pick a start node s , set $d_s = 0$

While PQ is not empty:

$v = PQ.extractmin()$

for each $u \in V$ s.t. $(v, u) \in E$:

$PQ.decreaseKey(u, \min(d_u, w(v, u)))$



Prim's Algorithm

Initialize $d_v = \infty$ for each node v

Keep a priority queue PQ of nodes, using d_v as key


Pick a start node s , set $d_s = 0$

While PQ is not empty:

$v = PQ.extractmin()$

for each $u \in V$ s.t. $(v, u) \in E$:

$PQ.decreaseKey(u, \min(d_u, w(v, u)))$



Prim's Algorithm

Initialize $d_v = \infty$ for each node v

Keep a priority queue PQ of nodes, using d_v as key


Pick a start node s , set $d_s = 0$

While PQ is not empty:

$v = PQ.extractmin()$

for each $u \in V$ s.t. $(v, u) \in E$:

$PQ.decreaseKey(u, \min(d_u, w(v, u)))$



Prim's Algorithm

Initialize $d_v = \infty$ for each node v

Keep a priority queue PQ of nodes, using d_v as key

Pick a start node s , set $d_s = 0$


While PQ is not empty: V loops

$v = PQ.extractmin()$ $O(\log V)$


for each $u \in V$ s.t. $(v, u) \in E$: E times total

$PQ.decreaseKey(u, \min(d_u, w(v, u)))$ $O(\log V)$

$O(E \log V + V \log V)$



Single-Source Shortest Path



Find the quickest way to get from UVA to each of these other places

Given a graph $G = (V, E)$ and a start node $s \in V$, for each $v \in V$ find the least-weight path from $s \rightarrow v$ (call this weight $\delta(s, v)$)

(assumption: all edge weights are positive)


Dijkstra's Algorithm

Given some start node s

Start with an empty tree A

Repeat $V - 1$ times:

 Add the "nearest" node not yet in A




Dijkstra's Algorithm

Given some start node s

Start with an empty tree A

Repeat $V - 1$ times:

 Add the "nearest" node not yet in A




Dijkstra's Algorithm

Given some start node s

Start with an empty tree A

Repeat $V - 1$ times:

 Add the "nearest" node not yet in A




Dijkstra's Algorithm

Given some start node s

Start with an empty tree A VERY similar to Prim's!

Repeat $V - 1$ times:

 Add the "nearest" node not yet in A



Prim's Algorithm

Initialize $d_v = \infty$ for each node v

Keep a priority queue PQ of nodes, using d_v as key


Pick a start node s , set $d_s = 0$

While PQ is not empty:

$v = PQ.extractmin()$

for each $u \in V$ s.t. $(v, u) \in E$:

$PQ.decreaseKey(u, \min(d_u, w(v, u)))$



Dijkstra's Algorithm

Initialize $d_v = \infty$ for each node v

Keep a priority queue PQ of nodes, using d_v as key

Pick a start node s , set $d_s = 0$


While PQ is not empty: V loops

$v = PQ.extractmin()$ $O(\log V)$

for each $u \in V$ s.t. $(v, u) \in E$: E times total $O(\log V)$

$PQ.decreaseKey(u, \min(d_u, d_v + w(v, u)))$

$O(E \log V + V \log V)$



Dijkstra's Algorithm Proof Strategy

- Proof by induction
- Idea: show that when node u is removed from the priority queue, $d_u = \delta(s, u)$
 - Claim 1: when u is removed from the queue, $d_u \geq \delta(s, u)$
 - i.e. d_u is at least the length of the shortest path
 - Claim 2: if we consider any path (s, \dots, u) , $w(s, \dots, u) \geq d_u$
 - i.e. d_u is no longer than any other path from s to u , including the shortest one

Proof of Dijkstra's


- Assume that nodes $v_1 = s, \dots, v_i$ have been removed from PQ already, and for each of them $d_{v_i} = \delta(s, v_i)$
- Let node u be the $(i + 1)^{th}$ node extracted
- Base case:
 - $i = 0, u = v_1 = s$

Proof of Dijkstra's: Claim 1

- Let node u be the $(i + 1)^{th}$ node extracted
- Claim 1: $d_u \geq \delta(s, u)$
 - Proof: node u has a path of weight d_u from s
 - Since d_u is the weight of SOME path, its weight is at least that of the SHORTEST path

Proof of Dijkstra's: Claim 2

- Let node u be the $(i + 1)^{th}$ node extracted
- for any path (s, \dots, u) , $w(s, \dots, u) \geq d_u$
- Extracted nodes define a cut of the graph
- Let edge (x, y) be the last edge in this path which crosses the cut



$$w(s, \dots, u) \geq \delta(s, x) + w(x, y) + w(y, \dots, u)$$

$$\geq d_y + w(y, \dots, u)$$

By definition

$$\geq d_u + w(y, \dots, u)$$

$$\geq d_u$$

No negative edge weights

Because otherwise, u would not be next extracted

Proof of Dijkstra's: Finale

- Claim 1: $d_u \geq \delta(s, u)$
- Claim 2: $d_u \leq w(s, \dots, u)$ for any path from s to u (including the shortest one)
- 1&2 Together: $w(s, \dots, u) \geq d_u \geq \delta(s, u)$
 - therefore $\delta(s, u) \geq d_u \geq \delta(s, u)$
 - $d_u = \delta(s, u)$

Breadth-First Search

- Input: a node s
- Behavior: Start with node s , visit all neighbors of s , then all neighbors of neighbors of s , ...
- Output: lots of choices!
 - Is the graph connected?
 - Is there a path from s to u ?
 - Shortest number of “hops” from s to u

Sounds like Dijkstra's!

Dijkstra's Algorithm

Initialize $d_v = \infty$ for each node v

Keep a **priority queue** PQ of nodes, using d_v as key


Pick a start node s , set $d_s = 0$

While PQ is not empty: Replace with a (plain-old) Queue

$v = PQ.extractmin()$

for each $u \in V$ s.t. $(v, u) \in E$:

$PQ.decreaseKey(u, \min(d_u, d_v + w(v, u)))$



BFS

Keep a **queue** Q of nodes

Pick a start node s


$Q.enqueue(s)$

While Q is not empty:

$v = Q.dequeue()$

for each “unvisited” $u \in V$ s.t. $(v, u) \in E$:

$Q.enqueue(u)$



BFS: Shortest “Hops” Path

Keep a **queue** Q of nodes

Pick a start node s

$Q.enqueue(s)$

$hops = 0$

While Q is not empty:

$v = Q.dequeue()$

$hops += 1$

 for each “unvisited” $u \in V$ s.t. $(v, u) \in E$:

$u.hops = hops$

$Q.enqueue(u)$